NAME OF PRODUCT Scott's Liquid Gold Wood Cleaner & Preservative (Pourable)

MSDS DATE: 3/29/2013

HMIS Rating: Health (2) Flammability (2) Reactivity (0)

HMIS Scale: 4=Very High 3=High 2=Moderate 1=Slight 0=Insignificant

## **SECTION 1: PRODUCT AND COMPANY IDENTIFICATION**

PRODUCT NAME: Scott's Liquid Gold Wood Cleaner & Preservative (Pourable)

PRODUCT CODES:

MANUFACTURER: Scott's Liquid Gold ADDRESS: 4880 Havana St. Denver, Co. 80239

EMERGENCY PHONE: 303-373-4860 or consult local poison control center immediately

PRODUCT USE: Wood Polish and Conditioner

#### **SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS**

 INGREDIENT:
 CAS NO.
 % WT
 Exposure Limits: OSHA (PEL) ACGIH (TLV)

 Hydrotreated Petroleum Distillates Process Oil VM&P Naphtha
 64742-56-9
 80-100
 5mg/m3
 5mg/m3

 VM&P Naphtha
 64742-89-8
 1-5
 300ppm
 300ppm

FILE NO.: N/A

## **SECTION 3: HAZARDS IDENTIFICATION**

**EMERGENCY OVERVIEW**: Do not expose to heat or flame. Contains petroleum distillates. Harmful if swallowed. Use in a well-ventilated area. Keep out of reach of Children.

ROUTES OF ENTRY: Eye, Skin contact, Inhalation, Ingestion.

### POTENTIAL HEALTH EFFECTS

Medical conditions generally aggravated by exposure:

EYES: Stinging or redness

SKIN: Redness or irritation

**INGESTION:** Digestive discomfort

INHALATION: Prolonged exposure may cause nausea, dizziness, and headache. Massive overexposure may cause

Unconsciousness, death.

CHRONIC HEALTH HAZARDS: None

**CARCINOGENICITY** 

OSHA: () ACGIH: () NTP: () IARC: () None: (x)

## **SECTION 4: FIRST AID MEASURES**

EYES: Flush with water for 15 minutes.

**SKIN:** Rinse thoroughly with soap and warm water.

INGESTION: Do not induce vomiting as aspiration pneumonitis may result.

INHALATION: Remove to fresh air.

## NAME OF PRODUCT Scott's Liquid Gold Wood Cleaner & Preservative (Pourable)

MSDS DATE: 3/29/2013

HMIS Rating: Health (2) Flammability (2) Reactivity (0)

HMIS Scale: 4=Very High 3=High 2=Moderate 1=Slight 0=Insignificant

#### **SECTION 5: FIRE-FIGHTING MEASURES**

FLAMMABLE: Combustible liquid and vapor. This material may be ignited by heat, sparks and direst flame.

FLASH POINT: 134° F (57°C) METHOD USED: Closed Cup (Liquid)

NFPA HAZARD CLASSIFICATION

HEALTH: 2 FLAMMABILITY: 2 REACTIVITY: 0

HMIS HAZARD CLASSIFICATION

HEALTH: 2 FLAMMABILITY: 2 REACTIVITY:

EXTINGUISHING MEDIA: Water fog, foam, Carbon Dioxide, Dry Chemical

SPECIAL FIRE FIGHTING PROCEDURES: Use self-contained breathing apparatus, avoid breathing fumes. Cool containers in water fog.

FILE NO.: N/A

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Vapors may be heavier than air, may travel back. Material will float on water and can be reignited at the water surface.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon oxides, and other unidentified organic compounds.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

**ACCIDENTAL RELEASE MEASURES:** Eliminate sources of ignition, avoid breathing vapors, and minimize skin contact. In the event of spillage. Use appropriate containment to avoid environmental contamination. Recover liquid with absorbent material. Ventilate spill area. Place in suitable clean, dry containers for disposal by approved methods.

#### **SECTION 7: HANDLING AND STORAGE**

**HANDLING AND STORAGE:** Avoid unnecessary contact with fumes or liquid. Store in a cool, dry well ventilated area. Do not store near heat, sparks, open flames or strong oxidizers. Keep containers closed when not in use.

OTHER PRECAUTIONS: Inspect periodically for damage or leaks.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**VENTILATION &** 

**ENGINEERING CONTROLS:** General ventilation normally adequate.

**RESPIRATORY PROTECTION:** Use breathing apparatus in enclosed areas.

**EYE PROTECTION:** None required under normal use conditions. When handling in large quantities or responding to emergency situations, the use of appropriate eye protection is recommended.

SKIN PROTECTION: Protective gloves during prolong contact.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: None required under normal use conditions.

**WORK HYGIENIC PRACTICES**: Washing with soap and water after use is recommended as good hygienic practice to prevent skin irritation and / or eye irritation from hand contact.

NAME OF PRODUCT Scott's Liquid Gold Wood Cleaner & Preservative (Pourable)

FILE NO.: N/A

MSDS DATE: 3/29/2013

HMIS Rating: Health (2) Flammability (2) Reactivity (0)

HMIS Scale: 4=Very High 3=High 2=Moderate 1=Slight 0=Insignificant

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE: Clear

ODOR: Almond or Lemon

PHYSICAL STATE: Liquid

pH AS SUPPLIED: Not available

**BOILING POINT:** 

F: >300°F C: >148°C

**MELTING POINT:** Liquid at ambient temperatures

FREEZING POINT: Not available

VAPOR PRESSURE: <.5mmHg @ 68°F 20oC

VAPOR DENSITY (AIR = 1): Not available

**SPECIFIC GRAVITY (H2O = 1):** 0.836 @ 68°F 20oC

EVAPORATION RATE: Not available
SOLUBILITY IN WATER: Insoluble
PERCENT VOLATILE: Not available

VOLATILE ORGANIC COMPOUNDS (VOC): Not available

MOLECULAR WEIGHT: Not available

VISCOSITY: Not available

#### **SECTION 10: STABILITY AND REACTIVITY**

**STABILITY:** Stable under recommended storage conditions.

CONDITIONS TO AVOID: Heat, open flames, aluminum. Do not mix with other chemicals.

INCOMPATIBILITY: Strong oxidizers, acids, and alkalis.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: May include and are not limited to Oxides of carbons.

HAZARDOUS POLYMERIZATION: Will not occur

### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### Effects of acute exposure:

Eye: Test material was found not to be a primary eye irritant.

**Skin:** Test material was found not a primary skin irritant.

Inhalation: Prolong exposure may cause nausea, dizziness, and headache. Massive overexposure may cause unconsciousness, death.

Ingestion: Test material is not considered to be orally toxic.

### NAME OF PRODUCT Scott's Liquid Gold Wood Cleaner & Preservative (Pourable)

MSDS DATE: 3/29/2013

HMIS Rating: Health (2) Flammability (2) Reactivity (0)

HMIS Scale: 4=Very High 3=High 2=Moderate 1=Slight 0=Insignificant

Sensitization:
Chronic effects:
Carcinogenicity:
Mutagenicity:
The finished product is not expected to have chronic health effects.
The finished product is not expected to have chronic health effects.
The finished product is not expected to have chronic health effects.
The finished product is not expected to have chronic health effects.
The finished product is not expected to have chronic health effects.
The finished product is not expected to have chronic health effects.
The finished product is not expected to have chronic health effects.
The finished product is not expected to have chronic health effects.

Synergistic Materials: Not available

#### **SECTION 12: ECOLOGICAL INFORMATION**

**Ecotoxicity:** No data is available on the product itself. The product should not be allowed to enter drains of water courses,

or be deposited where it can affect ground or surface waters.

**Mobility:** No data is available on the product itself.

Persistence: No data is available on the product itself. Contains – Distillates (petroleum) hydrotreated is not considered

readily biodegradable.

**Bioaccumulation:** No data is available on the product itself.

Other Adverse Environmental effects:

No data is available on the product itself.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Methods of Disposal: If possible, recycle empty cans to the nearest steel recycling center. Dispose of according to all federal, state

and local regulations.

Handling of Disposal: Empty container retain residue. Dispose in accordance with all applicable federal, state, provincial and local

regulations. Contact your local, state provincial or federal environmental agency for specific rules.

FILE NO.: N/A

#### **SECTION 14: TRANSPORT INFORMATION**

### **CONSUMER / RETAIL PACKAGING:**

**US DOT GROUND** 

PROPER SHIPPING NAME: CONSUMER COMMODITY

**HAZARD CLASS: LIMITED QUANTITY** 

ID NUMBER: Not applicable PACKING GROUP: Not applicable

IATA AIR TRANSPORTATION

ID NUMBER: UN1268

PROPER SHIPPING NAME: PETROLEUM DISTILLATES N.O.S. LIMITED QUANTITY

HAZARD CLASS: 3
PACKING GROUP: III

IMDG WATER TRANSPORTATION

**ID NUMBER:** UN1268

PROPER SHIPPING NAME: PETROLEUM DISTILLATES N.O.S. LIMITED QUANTITY

HAZARD CLASS: 3
PACKING GROUP: III

# **BULK PACKAGING – DRUMS, IBC, TOTES:**

**US DOT GROUND** 

**ID NUMBER: U**N1268

PROPER SHIPPING NAME: PETROLEUM DISTILLATES N.O.S.

HAZARD CLASS: 3
PACKING GROUP: III

IMDG WATER TRANSPORTATION

ID NUMBER: UN1268

PROPER SHIPPING NAME: PETROLEUM DISTILLATES N.O.S.

HAZARD CLASS: 3
PACKING GROUP: |||

MARINE POLLUTANT: Not Applicable

## NAME OF PRODUCT Scott's Liquid Gold Wood Cleaner & Preservative (Pourable)

MSDS DATE: 3/29/2013

HMIS Rating: Health (2) Flammability (2) Reactivity (0)

HMIS Scale: 4=Very High 3=High 2=Moderate 1=Slight 0=Insignificant

## **SECTION 15: REGULATORY INFORMATION**

FEDERAL and STATE REGULATIONS

SARA title III, section 313 Toxic chemical Notification & Release Reporting:

None

California Proposition 65: This product contains the following ingredients which require a warning

FILE NO.: N/A

under the Safe Drinking Water & Toxic Enforcement Act.

None

## **SECTION 16: OTHER INFORMATION**

## OTHER INFORMATION:

## Notice to Reader:

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.